




HTP DOOR



KEY FEATURES

- High Performance Thermal Break
- Accommodates 1" double or 1- $\frac{1}{2}$ " triple glazing units
- 2 $\frac{1}{2}$ ", 3 $\frac{3}{4}$ " and 5" stiles available
- 2 $\frac{1}{4}$ " thick door
- 1", 4 $\frac{1}{8}$ ", 5 $\frac{1}{2}$ " and 7" top/bottom/mid-rails available
- Compatible with curtain wall & 655 framing
- Available in anodized and painted finishes



WINDSPEC INC.
MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS
ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS
1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7
Telephone (905) 738 -8311 Fax (905) 738 - 6188

April 2024

HTP DOOR

TABLE OF CONTENTS

Door Ordering Information _____	003
Glazing Infill Options & Glass Size Calculation _____	004
Standard Hardware Locations _____	005
Narrow Stile in HTP 5500 _____	006
Medium Stile in HTP 5500 _____	008
Wide Stile in HTP 5500 _____	010
Narrow Stile in 655 Series Framing _____	012
Medium Stile in 655 Series Framing _____	014
Wide Stile in 655 Series Framing _____	016
Triple Glazed HTP Door in HTP 5500 _____	018
HTP Door Stiles and Horizontal Rails _____	020
Part List _____	021



HTP DOOR

DOOR ORDERING INFORMATION

Standard Hardware

- 3 Butt hinges (NRP) - 4 $\frac{1}{2}$ " x 4"
 - Stainless steel for exterior doors
- M.S. Lock (Adams Rite 1850)
 - Thumb turn
 - Cylinder
- Pair to have flush bolts on in-active
- Push bar / pull handle
- 6 $\frac{1}{2}$ " Thermal threshold
- Door sweep



Standard Door Opening Size

- Windspec always refer to door opening size.
Not actual making size unless stated otherwise.

Standard Finishes

- Standard anodized doors:
 - Clear 0.0004 and #40 Bronze are typically stocked
 - Light bronze, champagne and black anodized are available
- Custom painted finishes are available

Door Swings



WINDSPEC INC.

MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS
ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS
1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7
Telephone (905) 738 -8311 Fax (905) 738 - 6188

April 2024



HTP DOOR

GLAZING INFILL OPTIONS

Glazing Options	Exterior Glass Stop	Interior Glass Stop
1" Glazing (Double Glazed)	 C-25012	 C-20027
1 1/2" Glazing (Triple Glazed)	 C-20027	 C-20027

GLASS SIZE CALCULATION

****Based on butt hinges and 1/2" threshold****





WINDSPEC INC.
MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS
ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS
1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7
Telephone (905) 738 -8311 Fax (905) 738 - 6188

April 2024





HTP DOOR

STANDARD HARDWARE LOCATIONS




HTP DOOR

NARROW STILE IN HTP 5500



MID-RAIL OPTION




WINDSPEC INC.
MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS
ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS
1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7
Telephone (905) 738 -8311 Fax (905) 738 - 6188

April 2024

HTP DOOR

NARROW STILE IN HTP 5500





WINDSPEC INC.
MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS
ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS
1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7
Telephone (905) 738 -8311 Fax (905) 738 - 6188


April 2024

HTP DOOR

MEDIUM STILE IN HTP 5500



MID-RAIL
OPTION




WINDSPEC INC.
MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS
ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS
1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7
Telephone (905) 738 -8311 Fax (905) 738 - 6188

April 2024

HTP DOOR

MEDIUM STILE IN HTP 5500






WINDSPEC INC.
MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS
ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS
1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7
Telephone (905) 738 -8311 Fax (905) 738 - 6188

April 2024

HTP DOOR

WIDE STILE IN HTP 5500





WINDSPEC INC.
MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS
ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS
1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7
Telephone (905) 738 -8311 Fax (905) 738 - 6188

April 2024

HTP DOOR

WIDE STILE IN HTP 5500



5





WINDSPEC INC.
MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS
ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS
1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7
Telephone (905) 738 - 8311 Fax (905) 738 - 6188

April 2024

HTP DOOR

NARROW STILE IN 655 SERIES




WINDSPEC INC.
MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS
ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS
1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7
Telephone (905) 738 -8311 Fax (905) 738 - 6188

April 2024

HTP DOOR

NARROW STILE IN 655 SERIES





WINDSPEC INC.
MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS
ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS
1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7
Telephone (905) 738 - 8311 Fax (905) 738 - 6188

April 2024

HTP DOOR

MEDIUM STILE IN 655 SERIES





WINDSPEC INC.
MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS
ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS
1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7
Telephone (905) 738 -8311 Fax (905) 738 - 6188

April 2024

HTP DOOR

MEDIUM STILE IN 655 SERIES






WINDSPEC INC.
MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS
ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS
1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7
Telephone (905) 738 - 8311 Fax (905) 738 - 6188

April 2024

HTP DOOR

WIDE STILE IN 655 SERIES





WINDSPEC INC.
MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS
ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS
1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7
Telephone (905) 738 - 8311 Fax (905) 738 - 6188

April 2024

HTP DOOR

WIDE STILE IN 655 SERIES






WINDSPEC INC.
MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS
ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS
1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7
Telephone (905) 738 -8311 Fax (905) 738 - 6188

April 2024

HTP DOOR

TRIPLE GLAZED HTP DOOR IN HTP 5500




WINDSPEC INC.
MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS
ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS
1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7
Telephone (905) 738 -8311 Fax (905) 738 - 6188

April 2024

HTP DOOR

TRIPLE GLAZED HTP DOOR IN HTP 5500










WINDSPEC INC.
MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS
ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS
1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7
Telephone (905) 738 - 8311 Fax (905) 738 - 6188

April 2024

HTP DOOR

HTP DOOR STILES & HORIZONTAL RAILS

Vertical Stiles	Description
	HTP 250 Narrow Stile (2 1/2")
	HTP 375 Medium Stile (3 3/4")
	HTP 500 Wide Stile (5")

Horizontal Rails	Top/Bottom Rail	Mid Rail
1" 		*
4 1/8" 	*	*
5 1/2" 	*	*
7" 	*	*
11 1/8" 	*	*
Custom Combinations Available		










WINDSPEC INC.
MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS
ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS
1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7
Telephone (905) 738 -8311 Fax (905) 738 - 6188

April 2024

HTP DOOR

PART LIST

Part Number	Description	Profile
CA-25001	2 $\frac{1}{2}$ " (63.5mm) HTP 250 Narrow Stile	
CA-25007	3 $\frac{3}{4}$ " (95.3mm) HTP 375 Medium Stile	
CA-25002	5" (127mm) HTP 500 Wide Stile	
CA-25006	1" (25.4mm) HTP Horizontal Rail (Mid Rail)	
CA-25003	4 $\frac{1}{8}$ " (104.8mm) HTP Horizontal Rail (Top/Mid/Bottom)	
CA-25005	5 $\frac{1}{2}$ " (139.7mm) HTP Horizontal Rail (Top/Mid/Bottom)	
CA-25004	7" (177.8mm) HTP Horizontal Rail (Top/Mid/Bottom)	





WINDSPEC INC.
 MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS
 ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS
 1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7
 Telephone (905) 738 -8311 Fax (905) 738 - 6188

April 2024

HTP DOOR

PART LIST

Part Number	Description	Profile
-	11 1/8" (282.6mm) HTP Horizontal Rail (Top/Mid/Bottom)	
CA-25011	MID RAIL ADAPTOR	
C-65006	1/2" Door Stop (2 PCS.)	
H-25001 C-25002	Shear Bracket for HTP Door 1.25"	
C-25012	1" Glazing Stop (DG) (Exterior)	
C-20027	1" Glazing Stop (DG-Int.) 1 1/2" Glazing Stop (TG)	
CA-25061	HTP Threshold (6 1/2" x 1/2")	








WINDSPEC INC.

MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS
ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS
1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7
Telephone (905) 738 - 8311 Fax (905) 738 - 6188

April 2024

HTP DOOR

PART LIST

Part Number	Description	Profile
-	S.S Butt Hinge 4 $\frac{1}{2}$ " x 4"	
-	Continuous Hinge	
-	8 $\frac{1}{2}$ " Offset Pull Handle	
-	12" Offset Pull Handle	
-	Round Push Bar 1" dia.	
-	MS Dead Lock	
-	Dead Latch Lock	

** For more information about hardware, please contact customer service.







WINDSPEC INC.
MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS
ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS
1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7
Telephone (905) 738 -8311 Fax (905) 738 - 6188

April 2024

HTP DOOR

PART LIST

Part Number	Description	Profile
-	Cylinder	
-	Thumb Turn	
-	Door Closer	
-	Rim Exit Device	
-	Mortise Exit Device	
-	Concealed Vertical Rod Exit Device	
-	Electric Strike	

** For more information about hardware, please contact customer service.






WINDSPEC INC.
MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS
ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS
1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7
Telephone (905) 738 -8311 Fax (905) 738 - 6188

April 2024

HTP DOOR

PART LIST

Part Number	Description	Profile
-	Paddle Activator	
-	Flush Bolt	
HD-55007	Back Up Plates for Butt Hinges	
HD-55008	Back Up Plates for Butt Hinges	
-	Astragal	
-	Door Sweep	
R-60188	Bulb Gasket	





WINDSPEC INC.
MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS
ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS
1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7
Telephone (905) 738 -8311 Fax (905) 738 - 6188

April 2024

HTP DOOR

PART LIST

Part Number	Description	Profile
R-20027	Glazing Gasket	
R-25001	Large Weather Strip	
R-25002	Small Weather Strip	
R-25003	HTP Door Sweep Gasket	
H-00002	#8 x 2" Assembly Screw	
H-00003	#10-24 x $\frac{3}{8}$ " Fabrication Screw S.S.	



WINDSPEC INC.
 MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS
 ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS
 1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7
 Telephone (905) 738 -8311 Fax (905) 738 - 6188

April 2024