
5300 SERIES CURTAIN WALL



KEY FEATURES:

- $1\frac{3}{4}$ " SLIM SIGHTLINE
- 2 $\frac{3}{4}$ ", MULLION DEPTH
- CUSTOM DEPTHS AVAILABLE
 ON REQUEST
- STICK BUILD SYSTEM
- INTERIOR WET GLAZE
- EXTERIOR DRY OR WET GLAZE
- STANDARD 1" INFILL
- $\frac{1}{4}$ " INFILL WITH ADAPTORS

PERFORMANCE:

- A440-A3,C5,B7
- NAFS.AW-PG70




5300 CURTAIN WALL TABLE OF CONTENTS


TYPICAL DETAILS	003
TYPICAL STANDARD DOOR DETAILS	004
TYPICAL INSUL DOOR DETAILS	005
TYPICAL CORNER DETAILS	006
515 VENT DETAILS	007
535 PROJECT OUT VENT DETAILS	800
535 PROJECT IN VENT DETAILS	009
575 VENT DETAILS	010
WINDLOAD CHARTS - 2 3/4"	011
WINDLOAD CHARTS - 2 3/4" WITH STEEL	012
5300 PARTS LIST	013
	014





5300 CURTAIN WALL


TYPICAL DETAILS
















5300 CURTAIN WALL

TYPICAL DOOR DETAILS











WINDSPEC INC.


MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS 1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7 Telephone (905) 738 -8311 Fax (905) 738 - 6188

JANUARY 2015

5300 CURTAIN WALL TYPICAL INSUL DOOR DETAILS














5300 CURTAIN WALL TYPICAL CORNER DETAILS


















5300 CURTAIN WALL 515 VENT DETAILS


















5300 SERIES WITH 535 VENT PROJECT OUT DETAILS


















5300 SERIES WITH 535 VENT PROJECT IN DETAILS


















5300 CURTAIN WALL 575 VENT DETAILS














5300 CURTAIN WALL WIND LOAD CHARTS

SERIES 5300 (1 3/4" x 2 3/4" Back Bar)

WINDLOAD LIMITATIONS




Calculations are based on CAN3-S157 "Strength Design in Aluminum" in accordance with the National Building Code of Canada and an allowable deflection of 1/175 of mullion span. Aluminum alloy is 6063-T6.



5300 CURTAIN WALL WIND LOAD CHARTS

SERIES 5300 (1 3/4" x 2 3/4" Back Bar & 1/8" Formed Steel Channel)

WINDLOAD LIMITATIONS



Calculations are based on CAN3-S157 "Strength Design in Aluminum" in accordance with the National Building Code of Canada and an allowable deflection of 1/175 of mullion span. Aluminum alloy is 6063-T6.



5300 CURTAIN WALL PARTS LIST

PART NUMBER	DESCRIPTION	PROFILE
C-53001	1 ³ / ₄ x 2 ³ / ₄ " (44.5mmx69.9mm) MULLION	N.T.S.
C-53002	1 ³ / ₄ x ³ / ₄ " (44.5mmx19.1mm) SNAP ON CAP	N.T.S.
C-53003	1 ¾" PRESSURE PLATE PRE-PUNCHED	Ã Â N.T.S.
C-53004	1 ³ / ₄ x 1" (44.5mmx25.4mm) SNAP ON CAP	N.T.S.
C-55007	DOOR ADAPTOR	N.T.S.
R-53001	PVC THERMAL BREAK	N.T.S.
R-53003	EXTERIOR GLAZING SPLINE	N.T.S.
H-53004	CORNER PLUG	N.T.S.



5300 CURTAIN WALL PARTS LIST

PART NUMBER	DESCRIPTION	PROFILE
R-55001	PVC POCKET FILLER	N.T.S.
H-00103	PVC SETTING BLOCK 1/4 x 1 x 2 ½"	N.T.S.
R-00003	GLAZING TAPE POLYSHIM $\frac{3}{8} \times \frac{5}{32} \times \frac{1}{8}$	<i>(////////////////////////////////////</i>
H-53001	SHEAR BLOCK	(S E)
H-00012	$\frac{1}{4}$ " Ø x #20 x $\frac{3}{4}$ " MACHINE SCREW	ALTS.
H-00012-32	$\frac{1}{4}$ " Ø x #20 x $\frac{3}{4}$ " S.S. MACHINE SCREW	ONT.S.
H-00020	# $10 \times \frac{3}{4}$ " TEK #3 PAN HEAD SOCKET ZINC PLATED	N.T.S.
H-00025	#10 X 1 $\frac{1}{4}$ " FLAT HEAD SCREW ZINC PLATED	DITTIBLE N.T.S.

