





HIGH THERMAL
PERFORMANCE

WINDLYFT GARAGE DOORS



STANDARD



ADAPT

INNOVATE

DELIVER

DESIGNED TO DELIVER

WindLyft commercial garage doors are engineered with reinforced, heavy-gauge architectural aluminum for exceptional structural integrity and long-term durability. At the core of each Windlyft HTP panel is an industry-first glass-reinforced nylon thermal barrier advancing thermal efficiency without compromising strength or aesthetics. Both the Windlyft Standard and HTP series provide enhanced noise reduction as well.

Designed to deliver a modern and expansive appearance with large panel glazing, WindLyft creates flexible and seamless indoor to outdoor transitions for commercial settings. Whether in hospitality, automotive, or wellness environments, our system supports climate-controlled versatility with a bold architectural presence.

From customizable finishes and glass options to performance-rated hardware configurations, WindLyft delivers.




GLASS TYPES



Clear



Low Iron
(Ultra Clear)



Acid Etched
(Frosted)



Grey Tinted



Bronze Tinted



Super Grey Tinted




Reflective

COMMERCIAL STRENGTH

- Architectural aluminum construction provides a robust 2-inch deep aluminum frame ensures long-lasting, low-maintenance performance with a modern look.
- Streamlined appearance: sleek 3-inch sightlines offer a contemporary design while maximizing visibility.
- Superior energy-efficiency: glass reinforced nylon thermal break - the only in the garage door industry provide excellent thermal efficiency for consistent comfort throughout the year.
- Weather-resistant seals: precision-engineered section joints prevent air and water infiltration, ensuring reliable performance in any climate.
- Reinforced durability: enhanced structural reinforcements deliver added strength, particularly for larger double-door models.
- Color matching hardware available.

STANDARD FRAME COLORS



Black Anodized Anodized



Powder Coated Anodized



Bronze Anodized



Champagne Anodized




Wood Grain




Clear Anodized

CUSTOM DOOR AND PANEL SIZES ARE AVAILABLE


TYPICAL EXAMPLES:



COMMERCIAL DOOR



DOUBLE DOOR



SINGLE DOOR



INSPIRATION MEET INNOVATION


With WindLyft, form and function converge to meet the real demands of modern spaces. From logistic hubs and automotive showrooms to hospitality patios and fitness studios, WindLyft garage doors deliver scalable, thermally efficient, and visually striking solutions that perform as exceptionally as they look.

Our high thermal performance system (HTP) is fabricated with an industry-first thermal break technology, while providing expansive glazing options, WindLyft commercial doors can be tailored for high-traffic, climate-specific, and brand-centric environments. Whether you're optimizing for operational flow, energy savings, or to make an architectural statement – WindLyft makes it possible.


**UNINSULATED
GARAGE DOOR**



**INSULATED GARAGE DOOR
POLYURETHANE FOAM**



**WINDLYFT HTP
THERMAL SYSTEM**



WINDLYFT SSG




WINDLYFT S

CUSTOMIZABLE ARCHITECTURAL ALUMINUM GLASS GARAGE DOORS


FEATURES

- Architectural aluminum construction: a robust 2-inch deep aluminum frame ensures long-lasting, low-maintenance performance with a modern look.
- Streamlined appearance: sleek 3-inch sightlines offer a contemporary design while maximizing visibility.
- Weather-resistant seals: precision-engineered section joints prevent air and water infiltration, ensuring reliable performance in any climate.
- Reinforced durability: enhanced structural reinforcements deliver added strength, particularly for larger double-door models.
- Additional reduction of exterior noise.
- Color matching hardware available.
- Single or sealed units glazing available
- Endless color and glass options.



FINISHES

- 2 Color options available (interior/exterior)
- Clear Anodized .0004
- Clear Anodized .0007
- #40 Bronze Anodized .0007
- #26 Light Bronze Anodized .0007
- Champagne Anodized .0007
- Black Anodized .0007
- Acid Etch Anodizing process
- Painted finished available: Duracron (one-coat), Duranar (2 coat), Duranar XL (3 coat)
- Powder coating available
- Wood grain finishes available (Decoral USA)




WINDLYFT S

MATERIALS

- All aluminum to be 6063-T6 tempered
- Interior/exterior glazing gaskets: extruded EPDM – 60 durometer

WindLyft Custom Color Match Hinges




WINDLYFT HTP

HIGH THERMAL PERFORMANCE CUSTOMIZABLE ARCHITECTURAL ALUMINUM GLASS GARAGE DOORS

FEATURES

- Crafted with reinforced, heavy-gauge architectural aluminum for unmatched strength and high thermal performance
- WindLyft HTP garage doors contain an industry first glass-reinforced nylon thermal barrier
- Architectural aluminum construction: a robust 2-inch deep aluminum frame ensures long-lasting, low-maintenance performance with a modern look
- Streamlined appearance: sleek 3-inch sightlines offer a contemporary design while maximizing visibility
- Weather-resistant seals: precision-engineered section joints prevent air and water infiltration, ensuring reliable performance in any climate
- Reinforced durability: enhanced structural reinforcements deliver added strength, particularly for larger double-door models
- Additional reduction of exterior noise
- Color matching hardware available
- Single or sealed units glazing available
- Endless color and glass options



FINISHES

- 2 Color options available (interior/exterior)
- Clear Anodized .0004
- Clear Anodized .0007
- #40 Bronze Anodized .0007
- #26 Light Bronze Anodized .0007
- Champagne Anodized .0007
- Black Anodized .0007
- Acid Etch Anodizing process
- Painted finished available: Duracron (one-coat), Duranar (2 coat), Duranar XL (3 coat)
- Powder coating available
- Wood grain finishes available (Decoral USA)




WINDLYFT HTP

MATERIALS

- All aluminum to be 6063-T6 tempered
- Interior/exterior glazing gaskets: extruded EPDM – 60 durometer
- Thermal Break polyamide 6.6, 25% glass fiber reinforced


WindLyft Custom Color Match Hinges



New for 2026:
WindLyft Door Configurator + Look Book



 **WINDLYFT HTP**
GARAGE DOORS



CONNECT WITH US.



WESTERN CANADA
AARON ELLEMENT
AARON@WINDSPEC.COM
604.817.2545
WINDSPEC INC.

**WESTERN REGION
USA**
SALES@EXTRUSIONSNA.COM
216.533.2266
EXTRUSIONS N.A.

**MOUNTAIN REGION
USA**
SALES@EXTRUSIONSNA.COM
216.533.2266
EXTRUSIONS N.A.

**MIDWEST REGION
USA**
MATT GARY
216.408.5600
EXTRUSIONS N.A.

**SOUTHWEST REGION
USA**
TYLER EVANS
440.382.1334
EXTRUSIONS N.A.

**CANADA
ONTARIO**
INFO@WINDSPEC.COM
WINDSPEC INC.
HEAD OFFICE
905.738.8311

**QUEBEC
NEW BRUNSWICK**
YVES MAYER
MAYER ALUMINUM
437.477.5622

**NEWFOUNDLAND
PEI
NOVA SCOTIA**
RICK THOMAS
THOMAS ARCHITECTURAL
902.441.3488

**GREAT LAKES REGION
USA**
DON EVANS
EXTRUSIONS N.A.
216.533.2266

**EAST COAST
USA**
MIKE GARY
EXTRUSIONS N.A.
216.409.1254

**SOUTH EAST
USA**
SHANE WALSH
EXTRUSIONS N.A.
216.244.6228

**FLORIDA USA
CARIBBEAN**
ADAM ANAVA
AALCOR
954.260.9126



INFO@WINDSPEC.COM
905-738-8311
1-800-656-6616

1310 CREDITSTONE RD.
CONCORD, ON L4K 5T7

WINDSPEC.COM

FOR THE LATEST WINDLYFT NEWS
AND PRODUCT INFORMATION



VISIT:
WINDLYFT.COM

ADAPT | INNOVATE | DELIVER